



NOTES:

- ① WC, 3" S, 2" V.
- ② L. SH, 2" S, 1 1/2" V.
- ③ KS/DW, 2" S, 1 1/2" V. OR INSTALL 1 1/2" MINI STUDOR VENT.
- ④ 2" S, 1 1/2" V. TO DUEL CLOTHES WASHER BOX.
- ⑤ 1 1/2" VTR. MAINTAIN 10 FT. CLEARANCE TO FRESH AIR INTAKES.
- ⑥ 2" VTR. MAINTAIN 10 FT. CLEARANCE TO FRESH AIR INTAKES.
- ⑦ 2" S, DOWN TO BELOW.
- ⑧ 1 1/2" DRAIN PIPING FROM CLOTHES WASHER DRAIN PAN ROUTE TO EXTERIOR.
- ⑨ 3" S, DOWN TO BELOW.
- ⑩ GAS TANKLESS WATER HEATER. ROUTE CONCENTRIC VENT UP THRU ROOF. MAINTAIN 10 FT. CLEARANCE TO FRESH AIR INTAKES.

REVISED ENTIRE SHEET
2-25-18

NORTH
SECOND FLOOR - PLUMBING PLAN (WASTE & VENT)
 SCALE: 1/4" = 1'-0"
 P102

NO.	DATE	DESCRIPTION	BY
1	2-25-18	OWNER REVISION	



7010 Easy Wind Dr. Ste 200
 Austin, TX 78752
 512.899.3100
 www.designopa.com



51 E. TEXAS AVE.
 HENDERSON, NEVADA

2018 OPA Design Studio. All Rights Reserved.
 These design drawings are the sole property of the Architect, OPA Design Studio. They may not be reproduced in any form, by any method, for any purpose without previous written permission from the Architect.

JOB NO.:	201724-A
PHASE:	CD
DRAWN:	SO, LE
CHECKED:	SO
DATE:	10/22/2018

P102