



SECOND FLOOR - PLUMBING PLAN (WATER & GAS)

SCALE: 1/4" = 1'-0"



NOTES:

- ① WC, 1/2" CU.
- ② L, SH, 1/2" CHW.
- ③ KS/DW, 1/2" CHW.
- ④ 1/2" CU TO REF. ICEMAKER WATER BOX.
- ⑤ 1/2" CHW TO CLOTHES WASHER BOX.
- ⑥ 3/4" CHW TO GAS TANKLESS WATER HEATER.
- ⑦ ROUTE PRESSURE RELIEF LINE FULL SIZED TO THE OUTSIDE LANDSCAPE OR TO A CODE APPROVED LOCATION WITH 6" AIR GAP.
- ⑧ ROUTE 1/2" CHW DOWN IN WALL, THEN IN PONY WALL OVER TO KS.
- ⑨ 1" CU UP FROM LOWER LEVEL. PROVIDE SHUT-OFF VALVE TO UNIT.
- ⑩ 3/4" PRIMARY CONDENSATE DRAIN LINE TO NEAREST FLUSHING FIXTURE OR OTHER CODE APPROVED LOCATION. UNIT IS PROVIDED WITH AN AUXILIARY DRAIN PAN SAFETY FLOAT SWITCH, PER 2012 UPC TABLE B14J AND SECTION B14.3.
- ⑪ 3/4" G, (6.5 CFH) (8' DROP) IN PONY WALL THEN OVER TO RANGE.

NO.	DATE	DESCRIPTION	BY
1	2-25-18	BUDGET COMMENT	
2	2-25-18	DIMENSION	



7010 Easy Wind Dr. Ste 200
Austin, TX 78752
512.899.3100

www.designopa.com



51 E. TEXAS AVE.
HENDERSON, NEVADA

2018 OPA Design Studio. All Rights Reserved.
These design drawings are the sole property of the Architect, OPA Design Studio. They may not be reproduced in any form, by any method, for any purpose without previous written permission from the Architect.

JOB NO.:	201724-A
PHASE:	CD
DRAWN:	SO, LE
CHECKED:	SO
DATE:	10/22/2018

P102.1